

Literatur und Studienlage bez. Sinuslift

Stand: 01.06.2019

Das ist eine interaktive PDF: mit einem Klick auf die einzelnen Verweise wird die zugehörige Webseite geöffnet.

- 1 Abi Najm S, Malis D, Rahban S, Bernard JP, Carrel JP. (2013), Potential adverse events of implants penetrating the maxillary sinus: A prospective clinical study, *Laryngoscope accepted*.
- 2 Adell R, Lekholm U, Rockler B, Bränemark PI. (1981), A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *International journal of oral surgery*, 10(6), p. 387–416.
- 3 Aerssens J, Boonen S, Lowet G, Dequeker J. (1998), Interspecies differences in bone composition, density, and quality: potential implications for in vivo bone research. *Endocrinology*, 139(2), p. 663–70.
- 4 Aimetti M, Massei G, Morra M, Cardesi E, Romano F. (2008), Correlation between gingival phenotype and Schneiderian membrane thickness. *The International journal of oral; maxillofacial implants*; 23(6): 1128–32. Epub 2009/02/17.
- 5 Al-Dajani M. (2016), Recent Trends in Sinus Lift Surgery and Their Clinical Implications, *Clin Implant Dent Relat Res*. 2016 Feb; 18(1): 204–12. doi: 10.1111/cid.12275. Epub 2014 Oct 2.
- 6 Aparicio C, Perales P, Rangert B. (2001), Tilted implants as an alternative to maxillary sinus grafting: a clinical, radiologic, and periostest study. *Clinical implant dentistry and related research*, 3(1), p. 39–49.
- 7 Arab HR, Moeintaghavi A, Shiezadeh F, Nezhad MH. (2018), Crestal Sinus Floor Elevation with Autogenous Press-Fit Dowel Bone Harvested Using Trehpene Drills: A New Method., *J Long Term Eff Med Implants*. 2018; 28(3): 209–214. doi: 10.1615/JLongTermEffMedImplants.2018017280.
- 8 Ardekian L, Oved-Peleg E, Mactei EE, Peled M. (2006), The clinical significance of sinus membrane perforation during augmentation of the maxillary sinus. *Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons*; 64(2): 277–82. Epub 2006/01/18. doi: 10.1016/j.joms.2005.10.031.
- 9 Asai S, Shimizu Y, Ooya K. (2002), Maxillary sinus augmentation model in rabbits: effect of occluded nasal ostium on new bone formation. *Clinical Oral Implants Research*; 13(4): 405–409.
- 10 Balleri P, Veltri M, Nuti N, Ferrari M. Implant placement in combination with sinus membrane elevation without biomaterials: a 1-year study on 15 patients. *Clinical Implant Dentistry and Related Research*. In press.
- 11 Baumann A, Ewers R. (1999), Minimalinvasiver Sinuslift. Grenzen und Möglichkeiten im atrophen Oberkiefer, in: *Mund Kiefer Gesichtschirurgie* (Band 3), p. 70–73.
- 12 Benner KU, Bauer F, Heuckmann K.H. (2007), Balloon-Lift-Controll (BLC): A minimal-invasive system for the elevation of the sinus floor mucosa – part I. *Implants* 8. p. 26–29.
- 13 Bensaha T. (2011), Evaluation of the capability of a new water lift system to reduce the risk of Schneiderian membrane perforation during sinus elevation. *International journal of oral and maxillofacial surgery*; 40(8): 815–20. Epub 2011/05/20. doi: 10.1016/j.ijom.2011.04.005.
- 14 Biglioli F, Pedrazzoli M, Colletti G. (2010), Repair of a perforated sinus membrane with a palatal fibromucosal graft: a case report. *Minerva stomatologica*; 59(5): 299–302, -4. Epub 2010/05/27.
- 15 Boerrigter EM, Geertman ME, Van Oort RP, Bouma J, Raghoebar GM, van Waas MA, Kalk W. (1995), Patient satisfaction with implant-retained mandibular overdentures. A comparison with new complete dentures not retained by implants – a multicentre randomized clinical trial. *The British journal of oral & maxillofacial surgery*, Smart Grinder Demonstration ab 12.8.2019 33(5), p. 282–8.
- 16 Boyne PJ, James RA. (1980), Grafting of the maxillary sinus floor with autogenous marrow and bone. *Journal of oral surgery*, 38(8), p. 613–616.
- 17 Boyne PJ. (1993), Analysis of performance of root-form endosseous implants placed in the maxillary sinus. *Journal of Long-Term Effects of Medical Implants*; 3(2): 143–159.
- 18 Bränemark PI, Adell R, Albrektsson T, Lekholm U, Lindstrom J, Rockler B. (1984), An experimental and clinical study of osseointegrated implants penetrating the nasal cavity and maxillary sinus. *Journal of oral and maxillofacial surgery*, 42(8), p. 497–505.
- 19 Bränemark PI, Adell R, Breine U, Hansson BO, Lindström J, Ohlsson A. (1969), Intra-osseous anchorage of dental prostheses. I. Experimental studies. *Scandinavian journal of plastic and reconstructive surgery*, 3(2), p. 81–100.
- 20 Bränemark PI, Grondahl K, Ohrnell LO, Nilsson P, Petruson B, Svensson B, Nannmark U. (2004), Zygoma fixture in the management of advanced atrophy of the maxilla: technique and long-term results. *Scandinavian journal of plastic and reconstructive surgery and hand surgery*, 38(2), p. 70–85.
- 21 Brill DM, Fozard HA, Makielski JC, Wasserstrom JA. (1987), Effect of prolonged depolarizations on twitch tension and intracellular sodium activity in sheep cardiac Purkinje fibres. *The Journal of physiology*, 384, p. 355–75.
- 22 Brinkmann A, Brinkmann E. (1995), Geschichte der zahnärztlichen Implantologie in Deutschland, Anke-Verlag. p. 20ff.

- 23 Browaeys H, Vandeweghe S, Johansson CB, Jimbo R. Deschepper E, De Bruyn H. (2013), The histological evaluation of osseointegration of surface enhanced microimplants immediately loaded in conjunction with sinuslifting in humans, *Clin Oral Implants Res.* 2013 Jan; 24(1): 36–44. doi: 10.1111/j.1600-0501.2011.02398.x. Epub 2012 Jan 6.
- 24 Cannizzaro G, Leone M, Consolo U, Ferri V, Licitra G, Worthington H et al. (2007), Augmentation of the posterior atrophic edentulous maxilla with implants placed in the ulna: a prospective single-blind controlled clinical trial. *The International journal of oral & maxillofacial implants*; 22(2): 280–8. Epub 2007/05/01.
- 25 Canullo L, Dellavia C, Heinemann F. (2012), Maxillary sinus floor augmentation using a nanocrystalline hydroxyapatite silica gel: case series and 3-month preliminary histological results. *Annals of anatomy = Anatomischer Anzeiger*, 194(2), p. 174–8.
- 26 Cawood JI, Howell R.A. (1988), A classification of the edentulous jaws. *International journal of oral and maxillofacial surgery*, 17(4), p. 232–6.
- 27 Cawood JI, Stoelinga PJ. (2000), International Research Group on Reconstructive Preprosthetic Surgery. Consensus report. *International journal of oral and maxillofacial surgery*, 29(3), p. 159–62.
- 28 Chan HL, Lin GH, Fu JH, Wang HL. (2013), Alterations in bone quality after socket preservation with grafting materials: a systematic review. *The International journal of oral & maxillofacial implants*, 28(3), p. 710–20.
- 29 Checchi L, Felice P, Antonini ES, Cosci F, Pellegrino G, Esposito M. (2010), Crestal sinus lift for implant rehabilitation: a randomised clinical trial comparing the Cosci and the Summers techniques. A preliminary report on complications and patient reference. *European journal of oral implantology*; 3(3): 221–32. Epub 2010/09/18.
- 30 Chen L, Cha J, Chen HC, Lin HL. Sinus Perforation: Treatment and Classifications. *The Journal of Implant & Advanced Clinical Dentistry*.3(1): 12.
- 31 Chen TW, Chang HS, Leung KW, Lai YL, Kao S.Y. (2007), Implant placement immediately after the lateral approach of the trap door window procedure to create a maxillary sinus lift without bone grafting: a 2-year retrospective evaluation of 47 implants in 33 patients. *Journal of Oral and Maxillofacial Surgery*; 65(11): 2324–2328.
- 32 Choi BH, Zhu S., Jung JH, Lee SH, Huh JY. (2006), The use of autologous fibrin glue for closing sinus membrane perforations during sinus lifts. *Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics.*; 101(2): 150–4. Epub 2006/02/02. doi: 10.1016/j.tripleo.2005.04.008.
- 33 Clokie CM, Bell R.C. (2003), Recombinant human transforming growth factor beta-1 and its effects on osseointegration. *The Journal of craniofacial surgery*, 14(3), p. 268–77.
- 34 Correia F, Pozza DH, Gouveia S, Felino A, Faria E, Almeida R. (2018), The applications of regenerative medicine in sinus lift procedures: A systematic review., *Clin Implant Dent Relat Res Apr*; 20(2): 229–242. doi: 10.1111/cid.12561. Epub 2017 Dec 3. Review. PMID: 29205768
- 35 Cosci F, Luccioli M. (2000), A new sinus lift technique in conjunction with placement of 265 implants: a 6-year retrospective study. *Implant dentistry*; 9(4): 363–8. Epub 2001/04/20.
- 36 Cricchio G, Palma VC, Faria PE et al. (2011), Histological outcomes on the development of new space-making devices for maxillary sinus floor augmentation. *Clinical Implant Dentistry and Related Research*; 13(3): 224–230.
- 37 Cricchio G, Sennerby L, Lundgren S. (2011), Sinus bone formation and implant survival after sinus membrane elevation and implant placement: a 1-to 6-year follow-up study. *Clinical Oral Implants Research*; 22(10): 1200–1212.
- 38 Daculsi G, Laboux O, Malard O, Weiss P. (2003), Current state of the art of biphasic calcium phosphate bioceramics. *Journal of materials science. Materials in medicine*, 14(3), p. 195–200.
- 39 De Santis D, Sinigaglia S, Pancera P, Faccioni P, Portelli M, Tacchino U, Manuelli M, Luciano U, Setti AP, Bursi P, Nocini R, Nocini PF, Bertossi D. (2019), Guidelines for achieving the best implants survival rates in the rehabilitation of the atrophic posterior maxilla., *J Biol Regul Homeost Agents*. 2019 Jan-Feb; 33 [Suppl 1 [integer]]: 43–47, PMID: 30966731
- 40 Del Fabbro M, Testori T, Francetti L, Weinstein R. (2004), Systematic review of survival rates for implants placed in the grafted maxillary sinus. *The International journal of periodontics; restorative dentistry*; 24(6): 565–77. Epub 2005/01/01.
- 41 Doud Galli SK, Lebowitz RA, Giacchi RJ, Glickman R, Jacobs JB. (2001), Chronic sinusitis complicating sinus lift surgery. *American journal of rhinology*; 15(3): 181–6. Epub 2001/07/17.
- 42 Ellegaard B, Baelum V, Kølsen-Petersen J. (2006), Non-grafted sinus implants in periodontally compromised patients: a time-to-event analysis. *Clinical Oral Implants Research*; 17(2): 156–164.
- 43 Ellegaard B, Kølsen-Petersen J, Baelum V. (1997), Implant therapy involving maxillary sinus lift in periodontally compromised patients. *Clinical Oral Implants Research*; 8(4): 305–315.
- 44 Engelke W, Capobianco M. (2005), Flapless sinus floor augmentation using endoscopy combined with CT scan-designed surgical templates: method and report of 6 consecutive cases. *The International journal of oral & maxillofacial implants*; 20(6): 891–7. Epub 2006/01/06.
- 45 Engelke W, Deckwer I. (1997), Endoscopically controlled sinus floor augmentation. A preliminary report. *Clinical oral implants research*, 8(6), p. 527–31.

- 46 Esposito M, Cannizzaro G, Barausse C, Cosci F, Soardi E, Felice P. (2014), Cosci versus Summers technique for crestal sinus lift: 3-year results from a randomised controlled trial., *Eur J Oral Implantol.* 2014 Summer; 7(2): 129–37.
- 47 Esposito M, Grusovin MG, Felice P, Karatzopoulos G, Worthington HV, Coulthard P. (2009), Interventions for replacing missing teeth: horizontal and vertical bone augmentation techniques for dental implant treatment. *The Cochrane database of systematic reviews*, (4), p. CD003607.
- 48 Esposito M, Grusovin MG, Rees J et al. (2010), Effectiveness of sinus lift procedures for dental implant rehabilitation: a cochrane systematic review. *European journal of oral implantology*; 3(1): 7–26.
- 49 Esposito M, Grusovin MG, Rees J et al. (2010), Interventions for replacing missing teeth: augmentation procedures of the maxillary sinus. *Cochrane Database of Systematic Reviews*; 3 Article ID CD008397.
- 50 Fermergård R, Åstrand P. (2008), Osteotome sinus floor elevation and simultaneous placement of implants – a 1-year retrospective study with astra tech implants. *Clinical Implant Dentistry and Related Research*; 10(1): 62–69.
- 51 Fienitz T, Moses O, Klemm C, Happe A, Ferrari D, Kreppel M, Ormanianer Z, Gal M, Rothamel D. (2017), Histological and radiological evaluation of sintered and non-sintered deproteinized bovine bone substitute materials in sinus augmentation procedures. A prospective, randomized-controlled, clinical multicenter study, *Clin Oral Investig.* 2017 Apr; 21(3): 787–794. doi: 10.1007/s00784-016-1829-9. Epub 2016 Apr 30.
- 52 Frenken JW, Bouwman WF, Bravenboer N, Zijderveld SA, Schulten EA, ten Bruggenkate CM. (2010), The use of Straumann Bone Ceramic in a maxillary sinus floor elevation procedure: a clinical, radiological, histological and histomorphometric evaluation with a 6-month healing period. *Clinical oral implants research*, 21(2), p. 201–8.
- 53 Froum SJ, Wallace SS, Elian N, Cho SC, Tarnow DP. (2006), Comparison of mineralized cancellous bone allograft (Puros) and anorganic bovine bone matrix (Bio-Oss) for sinus augmentation: histomorphometry at 26 to 32 weeks after grafting. *The International journal of periodontics & restorative dentistry*, 26(6), p. 543–51.
- 54 Fuerst G, Gruber R, Tangl S, Sanroman F, Watzek G. (2003), Enhanced bone-to-implant contact by platelet-released growth factors in mandibular cortical bone: a histomorphometric study in minipigs. *The International journal of oral & maxillofacial implants*, 18(5), p. 685–90.
- 55 Fuerst G, Tangl S, Gruber R, Gahleitner A, Sanroman F, Watzek G. (2004), Bone formation following sinus grafting with autogenous bone-derived cells and bovine bone mineral in minipigs: preliminary findings. *Clinical oral implants research*, 15(6), p. 733–40.
- 56 Fugazzotto PA, Vlassis J. (2003), A simplified classification and repair system for sinus membrane perforations. *Journal of periodontology*; 74(10): 1534–41. Epub 2003/12/05. doi: 10.1902/jop.2003.74.10.1534.
- 57 Gatti F, Gatti C, Tallarico M, Tommasato G, Meloni SM, Chiapasco M. (2018), Maxillary Sinus Membrane Elevation Using a Special Drilling System and Hydraulic Pressure: A 2-Year Prospective Cohort Study., *Int J Periodontics Restorative Dent.* 2018 Jul/Aug; 38(4): 593–599. doi: 10.11607/prd.3403., PMID: 29889923
- 58 Görrißen S, Gutwald (2013), Der crestale Zugang beim Sinuslift („crestal window technique“). Eine Alternative zum lateralen Zugang, beim stark atrophen Oberkiefer?, Masterthesis
- 59 Gottsauer A, HN. (1993), Technik und Erfahrungen mit der Sinuslift-OP und enossalen Implantaten. *Zeitschrift zahnärztliche Implantologie* 9, p. 184–187.
- 60 Gotz C, Warnke PH, Kolk A. (2015), Current and future options of regeneration methods and reconstructive surgery of the facial skeleton. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology*, 120(3), p. 315–23.
- 61 Götz W, Michael B. (2008), Einheilung von Knochenersatzmaterialien: Grundlagen und neue Befunde. *Implantologie Journal*, (8), p. 32–38.
- 62 Haas R, Haidvogl D, Donath K, Watzek G. (2002), Freeze-dried homogeneous and heterogeneous bone for sinus augmentation in sheep. Part I: histological findings. *Clinical oral implants research*, 13(4), p. 396–404.
- 63 Habibovic P, Sees TM, van den Doel MA, van Blitterswijk CA, de Groot K. (2006), Osteoinduction by biomaterials-physicochemical and structural influences. *Journal of biomedical materials research. Part A*, 77(4), p. 747–62.
- 64 Habibovic P, Yuan H, van der Valk CM, Meijer G, van Blitterswijk C.A, de Groot K. (2005), 3D microenvironment as essential element for osteoinduction by biomaterials. *Biomaterials*, 26(17), p. 3565–75.
- 65 Haessler D et al. (1992), Osteoplastische Maßnahmen zur Vorbereitung des Implantatlagers für Pfosten und Schraubenimplantate. *G01 Jahrbuch, Quintessenz Verlag*, p. 141.
- 66 Hallman M, Hedin M, Sennerby L, Lundgren S. (2002), A prospective 1-year clinical and radiographic study of implants placed after maxillary sinus floor augmentation with bovine hydroxyapatite and autogenous bone. *Journal of oral and maxillofacial surgery*, 60(3), p. 277–84; discussion 285–6.
- 67 Hallman M, Thor A. (2008), Bone substitutes and growth factors as an alternative/complement to autogenous bone for grafting in implant dentistry. *Periodontology 2000*; 47(1): 172–192.

- 68 Halpern SD, Karlawish JH, Berlin J.A. (2002), The continuing unethical conduct of underpowered clinical trials. *JAMA*, 288(3), p. 358–62.
- 69 Hartmann J. (2009), Geschichte der Implantologie, in *ZM* 99, p. 22A.
- 70 Hassani A, Khojasteh A, Alikhasi M. (2008), Repair of the perforated sinus membrane with buccal fat pad during sinus augmentation. *The Journal of oral implantology*; 34(6): 3303. Epub 2009/01/13. doi: 10.1563/1548-1336-34.6.330.
- 71 Hatano N, Sennerby L, Lundgren S. (2007), Maxillary sinus augmentation using sinus membrane elevation and peripheral Venous blood for implant-supported rehabilitation of the atrophic posterior maxilla: case series. *Clinical Implant Dentistry and Related Research*; 9(3): 150–155.
- 72 Hatano N, Sennerby L, Lundgren S. (2007), Maxillary sinus augmentation using sinus membrane elevation and peripheral Venous blood for implant-supported rehabilitation of the atrophic posterior maxilla: case series. *Clinical Implant Dentistry and Related Research*; 9(3): 150–155.
- 73 Hausamen JE, Schliephake H. (2000), Präprothetische Chirurgie, in: *Zahnärztliche Chirurgie* (Band 3), Schwenzer N, Ehrenfeld M., Editors., Georg Thieme Verlag: Stuttgart, p. 105–125.
- 74 Henkel KO, Gerber T, Lenz S, Gundlach KK, Bienengraber V. (2006), Macroscopic, histological, and morphometric studies of porous bone-replacement materials in minipigs 8 months after implantation. *Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics*, 102(5), p. 606–13.
- 75 Hernandez-Alfaro F, Torradeflot MM, Marti C. (2008), Prevalence and management of Schneiderian membrane perforations during sinus-lift procedures. *Clinical oral implants research*; 19(1): 91–8. Epub 2007/10/27. doi: 10.1111/j.1600-0501.2007.01372.x.
- 76 Hing KA, Annaz B, Saeed S, Revell PA, Buckland T. (2005), Microporosity enhances bioactivity of synthetic bone graft substitutes. *Journal of materials science. Materials in medicine*, 16(5), p. 467–75.
- 77 Hising P, Bolin A, Branting C. (2001), Reconstruction of severely resorbed alveolar ridge crests with dental implants using a bovine bone mineral for augmentation. *The International journal of oral & maxillofacial implants*, 16(1), p. 90–7.
- 78 Hochwald DA, Davis WH. (1992), Bone grafting in the Maxillary Sinus Floor, in: *Advanced Osseointegration Surgery: Application in the Maxillofacial Region*, Worthington P, Bränemark PI., Editors., Quintessenz Publishing, p. 175–181.
- 79 Horch HH, Sader R, Pautke C, Neff A, Deppe H, Kolk A. (2006), Synthetic, pure-phase betacalcium phosphate ceramic granules (Cerasorb) for bone regeneration in the reconstructive surgery of the jaws. *International journal of oral and maxillofacial surgery*, 35(8), p. 708–13.
- 80 Jensen SS, Terheyden H. (2009), Bone augmentation procedures in localized defects in the alveolar ridge: clinical results with different bone grafts and bone-substitute materials. *The International journal of oral & maxillofacial implants*, 24 Suppl, p. 218–36.
- 81 Jensen T, Shulman LB, Block MS, Iacono VJ. (1998), Report of the Sinus Consensus Conference of 1996. *The International journal of oral & maxillofacial implants*, 13 Suppl, p. 11–45.
- 82 Johansson B, Grepe A, Wannfors K, Hirsch J.M. (2001), A clinical study of changes in the volume of bone grafts in the atrophic maxilla. *Dentomaxillofacial Radiology*; 30(3): 157–161.
- 83 John MT, Micheelis W, Biffar R. (2004), Reference values in oral health-related quality of life for the abbreviated version of the Oral Health Impact Profile. *Schweizer Monatsschrift für Zahnmedizin*, 114(8), p. 784–91.
- 84 Jung JH, Choi BH, Jeong SM, Li J, Lee S.H, Lee H.J. (2007), A retrospective study of the effects on sinus complications of exposing dental implants to the maxillary sinus cavity. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*, 103(5): 623–625.
- 85 Jung JH, Choi BH, Zhu SJ et al. (2006), The effects of exposing dental implants to the maxillary sinus cavity on sinus complications. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*, 102(5): 602–605.
- 86 Kahnberg KE, Ekestubbe A, Grondahl K, Nilsson P, Hirsch JM. (2001), Sinus lifting procedure. I. One-stage surgery with bone transplant and implants. *Clinical oral implants research*, 12(5), p. 479–87.
- 87 Karabuda C, Arisan V, Ozyuvaci H. (2006), Effects of sinus membrane perforations on the success of dental implants placed in the augmented sinus. *Journal of periodontology*; 77(12): 1991–7. Epub 2007/01/11. doi: 10.1902/jop.2006.060102.
- 88 Kasabah S, Krug J, Simunek A, Lecaro MC. (2003), Can we predict maxillary sinus mucosa perforation? *Acta medica (Hradec Kralove)*, Universitas Carolina, Facultas Medica Hradec Kralove. 46(1): 19–23. Epub 2003/05/16.
- 89 Keydel MV. (2002), Untersuchungen zur Dynamik der Knochendefektheilung bei der Ratte am standardisierten Bohrlochdefekt in den Femurkondylen. Dissertation, München.

- 90 Khachatryan L, Khachatryan G, Hakobyan G, Khachatryan A. (2019), Simultaneous endoscopic endonasal sinus surgery and sinus augmentation with immediate implant placement: A retrospective clinical study of 23 patients., *J Craniomaxillofac Surg.* 2019 Apr 19. pii: S1010-5182(18)31153-3. doi: 10.1016/j.jcms.2019.04.004.
- 91 Khouri F. (1999), Augmentation of the sinus floor with mandibular bone block and simultaneous implantation: a 6-year clinical investigation. *The International journal of oral; maxillofacial implants*; 14(4): 557–64. Epub 1999/08/24.
- 92 Kim DY, Itoh Y, Kang TH. (2010), Evaluation of the Effectiveness of a Water Lift System in the Sinus Membrane-Lifting Operation as a Sinus Surgical Instrument. *Clinical implant dentistry and related research*. Epub 2010/07/01. doi: 10.1111/j.1708-8208.2010.00292.x.
- 93 Kim HR, Choi BH, Xuan F, Jeong SM. (2010), The use of autologous venous blood for maxillary sinus floor augmentation in conjunction with sinus membrane elevation: an experimental study. *Clinical Oral Implants Research*; 21(3): 346–349.
- 94 Kim MJ, Jung UW, Kim CS et al. (2006), Maxillary sinus septa: prevalence, height, location, and morphology. A reformatted computed tomography scan analysis. *Journal of Periodontology*; 77(5): 903–908.
- 95 Kirsch A, Ackermann KL et al. (1999), Sinus Grafting with porous hydroxyapatite, in: The sinus bone graft, Jensen O.T, Editor., Quintessence, Chicago, p. 79–94.
- 96 Koeck B, Ackermann KL. (2005), *Implantologie*, Elsevier, Urban & Fischer.
- 97 Köhli M. (2009), Erstes easy-graft™ Experten Meeting in Zürich. Press release, 2009. unter: http://www.zahnarzt-friedrich.com/images/easy_graft.pdf. [Stand: 13.02.2013]
- 98 Kolerman R, Moses O, Artzi Z, Barnea E, Tal H. (2011), Maxillary sinus augmentation by the crestal core elevation technique. *Journal of periodontology*; 82(1): 41–51. Epub 2010/08/25. doi: 10.1902/jop.2010.090682.
- 99 Kolk A, Handschel J, Drescher W, Rothamel D, Kloss F, Blessmann M, Smeets R. (2012), Current trends and future perspectives of bone substitute materials – from space holders to innovative biomaterials. *Journal of Cranio-Maxillo-Facial Surgery*, 40(8), p. 706–18. doi: 10.1016/j.jcms.2012.01.002
- 100 Kotsovilis S, Fourmouis I, Karoussis IK, Bamia C. (2009), A systematic review and meta-analysis on the effect of implant length on the survival of rough-surface dental implants. *Journal of periodontology*, 80(11), p. 1700–18.
- 101 Krennmair G, Ulm CW, Lugmayr H, Solar P. (1999), The incidence, location, and height of maxillary sinus septa in the edentulous and dentate maxilla. *Journal of Oral and Maxillofacial Surgery*; 57(6): 667–672.
- 102 Kulak CA, Dempster DW. (2010), Bone histomorphometry: a concise review for endocrinologists and clinicians. *Arquivos brasileiros de endocrinologia e metabologia*, 54(2), p. 87–98.
- 103 Kumar M, Chopra S, Das D, Gupta M, Memoalia J, Verma G. (2018), Direct Maxillary Sinus Floor Augmentation for Simultaneous Dental Implant Placement., *Ann Maxillofac Surg.* 2018 Jul-Dec; 8(2): 188–192. doi: 10.4103/ams.ams_168_18., PMID: 30693230
- 104 Laiblin C, Jaeschke G. (1979), Clinical chemistry examinations of bone and muscle metabolism under stress in the Gottingen miniature pig – an experimental study. *Berliner und Münchener tierärztliche Wochenschrift*, 92(6), p. 124–8.
- 105 Lan Levengood SK, Polak SJ, Poellmann MJ, Hoelzle DJ, Maki AJ, Clark SG, Wagoner Johnson A.J. (2010), The effect of BMP-2 on micro- and macroscale osteointegration of biphasic calcium phosphate scaffolds with multiscale porosity. *Acta biomaterialia*, 6(8), p. 3283–91.
- 106 Leblebicioglu B, Ersanli S, Karabuda C, Tosun T, Gokdeniz H. Radiographic evaluation of dental implants placed using an osteotome technique. *Journal of Periodontology*. 2005; 76(3): 385–390.
- 107 Lee J, Susin C, Rodriguez NA, de Stefano J, Prasad HS, Buxton AN, Wikesjo UM. (2013), Sinus augmentation using rhBMP-2/ACS in a mini-pig model: relative efficacy of autogenous fresh particulate iliac bone grafts. *Clinical oral implants research*, 24(5), p. 497–504.
- 108 LeGeros RZ. (1988), Calcium phosphate materials in restorative dentistry: a review. *Adv Dent Res*, 2(1), p. 164–80.
- 109 Lehmann KM, Hellwig E, Wenz H.J. (2012), *Zahnärztliche Propädeutik: Einführung in die Zahnheilkunde*, Deutscher Zahnärzte-Verlag.
- 110 Lekholm U, Wannfors K, Isaksson S, Adielsson B. (1999), Oral implants in combination with bone grafts. A 3-year retrospective multicenter study using the Bränemark implant system. *International journal of oral and maxillofacial surgery*, 28(3), p. 181–7.
- 111 Lekholm U, Zarb GA. (1985), Patient selection and preparation, in: *Tissue Integrated Prostheses Osseointegration in Clinical Dentistry*, Bränemark P.I, Zarb G.A, Albrektsson T., Editors., Quintessence Publishing: Chicago, p. 199–209.
- 112 Lin IC, Gonzalez AM, Chang HJ, Kao SY, Chen TW. (2011), A 5-year follow-up of 80 implants in 44 patients placed immediately after the lateral trap-door window procedure to accomplish maxillary sinus elevation without bone grafting. *The International Journal of Oral & Maxillofacial Implants*; 26(5): 1079–1086.

- 113 Listl S, Faggion CM. (2010), An economic evaluation of different sinus lift techniques. In: *Journal of Clinical Periodontology*. Band 37, Nummer 8, S. 777–787, ISSN 1600-051X. doi: 10.1111/j.1600-051X.2010.01577.x. PMID 20546083.
- 114 López-Quiles J, Melero-Alarcón C, Cano-Duran JA, Sánchez-Martínez-Sauceda EI, Ortega R. (2018), Maxillary sinus balloon lifting and deferred implantation of 50 osseointegrated implants: a prospective, observational, non-controlled study., *Int J Oral Maxillofac Surg.* 2018 Oct; 47(10): 1343-1349. doi: 10.1016/j.ijom.2018.04.014. Epub 2018 May 24., PMID: 30954148
- 115 Lozada JL, Goodacre C, Al-Ardah AJ, Garbacea A. (2011), Lateral and crestal bone planing antrostomy: a simplified surgical procedure to reduce the incidence of membrane perforation during maxillary sinus augmentation procedures. *J Prosthet Dent*; 105(3): 147-53. Epub 2011/03/02. doi: 10.1016/s0022-3913(11)60020-6.
- 116 Lundgren S, Andersson S, Gualini F, Sennerby L. (2004), Bone reformation with sinus membrane elevation: a new surgical technique for maxillary sinus floor augmentation. *Clinical Implant Dentistry and Related Research.*; 6(3): 165-173.
- 117 Lundgren S, Andersson S, Sennerby L. (2003), Spontaneous bone formation in the maxillary sinus after removal of a cyst: coincidence or consequence? *Clinical Implant Dentistry and Related Research*; 5(2): 78-81.
- 118 Mai R, Reinsdorf A, Pilling E, Lauer G, Gelinsky M, Eckelt U. (2005), Custom moldable hydroxyapatite collagen composite for repair of osseous defects. *Mund-, Kiefer- und Gesichtschirurgie: MKG*, 9(1), p. 12-7.
- 119 Mardinger O, Abba M, Hirshberg A, Schwartz-Arad D. (2007), Prevalence, diameter and course of the maxillary intraosseous vascular canal with relation to sinus augmentation procedure: a radiographic study. *International journal of oral and maxillofacial surgery*; 36(8): 735-8. Epub 2007/07/17. doi: 10.1016/j.ijom.2007.05.005.
- 120 Marx RE, Carlson ER, Eichstaedt RM, Schimmele SR, Strauss JE, Georgeff KR. (1998), Platelet-rich plasma: growth factor enhancement for bone grafts. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontics.*; 85(6): 638-646.
- 121 Marx RE. (2006), Commentary on: Bone regeneration in standardized bone defects with autografts or bone substitutes in combination with platelet concentrate: a histologic and histomorphometric study in the mandibles of minipigs. *The International journal of oral & maxillofacial implants*, 21(2), p. 190-1; discussion 191-2.
- 122 Del Fabbro M¹, Rosano G, Taschieri S. Implant survival rates after maxillary sinus augmentation. An updated systematic review. *J Osteol Biomat*; 1(2): 69-79.
- 123 McAllister BS, Haghigat K. (2007), Bone augmentation techniques. *Journal of periodontology*, 78(3), p. 377-96.
- 124 Misch CE. (2008), Bone density: A key determinant in treatment planning. in: *Contemporary Implant Dentistry* (3rd edition), Misch C., Editor., Published: Mosby – St. Louis, p. 130-146.
- 125 Moher D, Dulberg CS, Wells GA. (1994), Statistical power, sample size, and their reporting in randomized controlled trials. *JAMA*, 272(2), p. 122-4.
- 126 Mosekilde L, Kragstrup J, Richards A. (1987), Compressive strength, ash weight, and volume of vertebral trabecular bone in experimental fluorosis in pigs. *Calcified tissue international*, 40(6), p. 318-22.
- 127 Mosekilde L, Weisbrode SE, Safron JA, Stills HF, Jankowsky ML, Ebert D.C. (1993), Calciumrestricted ovariectomized Sinclair S-1 minipigs: an animal model of osteopenia and trabecular plate perforation. *Bone*, 14(3), p. 379-82.
- 128 Nedir R, Nurdin N, Khouri P, Perneger T, Hage ME, Bernard JP, Bischof M. (2013), Osteotome sinus floor elevation with and without grafting material in the severely atrophic maxilla. A 1-year prospective randomized controlled study. *Clinical oral implants research*, 24(11), p. 1257-64.
- 129 Nedjat A, Bernard JP, Statistische Analyse von 184 Implantaten während des CITEC Curriculums 2018 mit dem MIMI-Verfahren. Noch nicht veröffentlicht
- 130 Nedjat A. [04.05.2019], Vortrag: Der interne, direkte Sinuslift – minimalinvasiv in Verona „Giornate Veronesi“ und 13. Europa-Symposium des BDIZ EDI
- 131 Nedjat A. (2016), Vortrag: Der interne, direkte Sinuslift, Vortrag in „Euro Implant“ in Nizza/Frankreich
- 132 Neukam FW, Buser D. (1996), Implantate bei unzureichendem Knochenangebot, in: *Praxis der Zahnheilkunde* (Band 13), *Implantologie*, Koeck B, Wagner W., Editors., Urban & Schwarzenberg: Wien-München-Baltimore, p. 179-218.
- 133 Neukam FW, Hausamen JE, Scheller H. (1989), Possibilities and limitations of implantology in older patients. *Deutsche zahnärztliche Zeitschrift*, 44(7), p. 490-2.
- 134 Neukam FW, Schultze-Mosgau S. (2004), Implantate bei ausgedehnten Knochendefiziten. in: *Praxis der Zahnheilkunde* (Band 13), *Implantologie*, Koeck W, Wagner W., Editors., Urban & Schwarzenberg: München, p. 184-228.
- 135 Palma VC, Magro-Filho O, De Oliveira JA, Lundgren S, Salata LA, Sennerby L. (2006), Bone reformation and implant integration following maxillary sinus membrane elevation: an experimental study in primates. *Clinical Implant Dentistry and Related Research*; 8(1): 11-24.

- 136 Passuti N, Daculsi G, Rogez JM, Martin S, Bainvel J.V. (1989), Macroporous calcium phosphate ceramic performance in human spine fusion. Clinical orthopaedics and related research, (248), p. 169–76.
- 137 Pearce AI, Richards RG, Milz S, Schneider E, Pearce SG. (2007), Animal models for implant biomaterial research in bone: a review. European cells & materials, 13, p. 1–10.
- 138 Peleg M, Mazor Z, Chaushu G, Garg AK. (1998), Sinus floor augmentation with simultaneous implant placement in the severely atrophic maxilla. Journal of periodontology, 69(12), p. 1397–403.
- 139 Pikos MA. (1999), Block autografts for localized ridge augmentation: Part I. The posterior maxilla. Implant dentistry, 8(3), p. 279–85.
- 140 Pikos MA. (1999), Maxillary sinus membrane repair: report of a technique for large perforations. Implant dentistry; 8(1): 29-34. Epub 1999/06/05.
- 141 Pikos MA. (2008), Maxillary sinus membrane repair: update on technique for large and complete perforations. Implant dentistry; 17(1): 24-31. Epub 2008/03/12. doi: 10.1097/ID.0b013e318166d934.
- 142 Pjetursson BE, Rast C, Bragger U, Schmidlin K, Zwahlen M, Lang N.P. (2009), Maxillary sinus floor elevation using the (transalveolar) osteotome technique with or without grafting material. Part I: Implant survival and patients' perception. Clinical oral implants research, 20(7), p. 667–76.
- 143 Proussaefs P, Lozada J, Kim J, Rohrer M.D. (2004), Repair of the perforated sinus membrane with a resorbable collagen membrane: a human study. The International journal of oral; maxillofacial implants; 19(3): 413-20. Epub 2004/06/25.
- 144 Proussaefs P, Lozada J, Kim J. (2003), Effects of sealing the perforated sinus membrane with a resorbable collagen membrane: a pilot study in humans. The Journal of oral implantology; 29(5): 235–41. Epub 2003/11/19. doi: 10.1563/15481336(2003)029<0235: EOSTPS>; 2.3.CO; 2.
- 145 Proussaefs P, Lozada J. (2003), The „Loma Linda pouch“: a technique for repairing the perforated sinus membrane. The International journal of periodontics; restorative dentistry; 23(6): 593–7. Epub 2004/01/06.
- 146 Raghoebar GM, Onclin P, Boven GC, Vissink A, Meijer HJA. (2019), Long-term effectiveness of maxillary sinus floor augmentation A systematic review and meta-analysis., J Clin Periodontol. 2019 Jan 9. doi: 10.1111/jcpe.13055., PMID: 30624789
- 147 Raghoebar GM, Timmenga NM, Reintsema H, Stegenga B, Vissink A. (2001), Maxillary bone grafting for insertion of endosseous implants: results after 12–124 months. Clinical oral implants research, 12(3), p. 279–86.
- 148 Ragucci GM, Elnayef B, Suárez-López Del Amo F, Wang HL, Hernández-Alfaro F, Gargallo-Albiol J. (2019), Influence of exposing dental implants into the sinus cavity on survival and complications rate: a systematic review., Int J Implant Dent. 2019 Feb 5; 5(1): 6. doi: 10.1186/s40729-019-0157-7. Review., PMID: 30719578
- 149 Rajkumar GC, Aher V, Ramaiya S, Manjunath GS, Kumar DV. (2013), Implant placement in the atrophic posterior maxilla with sinus elevation without bone grafting: a 2-year prospective study. The International journal of oral & maxillofacial implants, 28(2), p. 526–30.
- 150 Roberts WE. (1988), Bone tissue interface. Journal of dental education, 52(12), p. 804–9.
- 151 Roldan JC, Jepsen S, Schmidt C, Knuppel H, Rueger DC, Acil Y, Terheyden H. (2004), Sinus floor augmentation with simultaneous placement of dental implants in the presence of platelet-rich plasma or recombinant human bone morphogenetic protein-7. Clinical oral implants research, 15(6), p. 716–23.
- 152 Romero-Millán JJ, Aizcorbe-Vicente J, Peñarrocha-Diago M, Galindo-Moreno P, Canullo L, Peñarrocha-Oltra D. (2019), Implants in the Posterior Maxilla: Open Sinus Lift Versus Conventional Implant Placement. A Systematic Review., Int J Oral Maxillofac Implants. 2019 Feb 26. doi: 10.11607/jomi.7274, PMID: 30807622
- 153 Rosano G, Taschieri S, Gaudy JF, Lesmes D, Del Fabbro M. (2010), Maxillary sinus septa: a cadaveric study. Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons; 68(6): 1360–4. Epub 2010/03/17. doi: 10.1016/j.joms.2009.07.069.
- 154 Ruffieux K, Köhli M. MK. (2010), Knochenaufbau, Eigenverlag: DS Dental.
- 155 Saadoun AP, LeGall MG. (1992), Clinical results and guidelines on Steri-Oss endosseous implants. The International journal of periodontics & restorative dentistry, 12(6), p. 486–95.
- 156 Sakkas A, Konstantinidis I, Winter K, Schramm A, Wilde F. (2016), Effect of Schneiderian membrane perforation on sinus lift graft outcome using two different donor sites: a retrospective study of 105 maxillary sinus elevation procedures, GMS Interdiscip Plast Reconstr Surg DGPW. 2016 Mar 2; 5: Doc11. doi: 10.3205/ipsr000090. eCollection 2016., PMID: 26955510
- 157 Sauerbier S, Rickert D, Gutwald R, Nagursky H, Oshima T, Xavier SP et al. (2011), Bone marrow concentrate and bovine bone mineral for sinus floor augmentation: a controlled, randomized, single-blinded clinical and histological trial—per-protocol analysis. Tissue engineering Part A.; 17(17–18): 2187–97. Epub 2011/05/03. doi: 10.1089/ten.TEA.2010.0516.
- 158 Schilli W, Krekeler G. (1984), Endosseous implants – an alternative to conventional preprosthetic surgery? Schweizer Monatsschrift für Zahnmedizin, 94(8), p. 688–94.

- 159 Schlehhuber C. (1999), Untersuchungen zur Kieferhöhlenschleimhaut am Humanpräparat. Ludwig-Maximilians Universität München, p. 1–46.
- 160 Schliephake H, Neukam FW, Wichmann M. (1997), Survival analysis of endosseous implants in bone grafts used for the treatment of severe alveolar ridge atrophy. *Journal of oral and maxillofacial surgery*; 55(11), p. 1227–33; discussion 1233–4.
- 161 Schmelzeisen R, Gutwald R, Oshima T, Nagursky H, Vogeler M, Sauerbier S. (2011), Making bone II: maxillary sinus augmentation with mononuclear cells-case report with a new clinical method. *The British journal of oral; maxillofacial surgery*; 49(6): 480–2. Epub 2010/08/04. doi: 10.1016/j.bjoms.2010.06.020.
- 162 Schmidmaier G, Wildemann B, Bail H, Lucke M, Fuchs T, Stemberger A, Raschke M. (2001), Local application of growth factors (insulin-like growth factor-1 and transforming growth factor-beta1) from a biodegradable poly (D, L-lactide) coating of osteosynthetic implants accelerates fracture healing in rats. *Bone*, 28(4), p. 341–50.
- 163 Seoane J, Lopez-Nino J, Garcia-Caballero L, Seoane-Romero JM, Tomas I, VarelaCentelles P. (2012), Membrane Perforation in Sinus Floor Elevation – Piezoelectric Device versus Conventional Rotary Instruments for Osteotomy: An Experimental Study. *Clinical implant dentistry and related research.*, Epub 2012/03/02. doi: 10.1111/j.17088208.2012.0447.x.
- 164 Shlomi B, Horowitz I, Kahn A, Dobriyan A, Chaushu G. (2004), The effect of sinus membrane perforation and repair with Lambone on the outcome of maxillary sinus floor augmentation: a radiographic assessment. *The International journal of oral; maxillofacial implants*; 19(4): 559–62. Epub 2004/09/07.
- 165 Shulman LB, Diskrell TD. (1997), Dental Implants: A Historical Perspective. in: *Implants in Dentistry*, Block M.S, Kent JN, Guerra L.R., Editors. Publisher: W. B. Saunders. p. 178ff.
- 166 Simunek A, Kopecka D, Cierny M. (2005), The use of oxidized regenerated cellulose (surgicel) in closing Schneiderian membrane tears during the sinus lift procedure. *The West Indian medical journal*; 54(6): 398–9. Epub 2006/04/29.
- 167 Sohn DS, Kim WS, An KM, Song KJ, Lee JM, Mun YS. (2010), Comparative histomorphometric analysis of maxillary sinus augmentation with and without bone grafting in rabbit. *Implant dentistry*, 19(3), p. 259–70.
- 168 Sohn DS, Lee JS, Ahn MR, Shin HI. (2008), New bone formation in the maxillary sinus without bone grafts. *Implant dentistry*, 17(3), p. 321–31.
- 169 Sohn DS, Lee JS, An KM, Choi BJ. (2009), Piezoelectric internal sinus elevation (PISE) technique: a new method for internal sinus elevation. *Implant dentistry*; 18(6): 458–63. Epub 2009/12/17. doi: 10.1097/ID.0b013e3181b8e17f.
- 170 Soltan M, Smiler D, Ghostine M, Prasad HS, Rohrer MD. (2011), The crestal approach: antral membrane elevation via a post graft. *Implant dentistry*; 20(3): e53–60. Epub 2011/05/27. doi: 10.1097/ID.0b013e31821819de.
- 171 Sorni M, Guarinos J, Garcia O, Penarrocha M. (2005), Implant rehabilitation of the atrophic upper jaw: a review of the literature since 1999. *Medicina oral patologia oral y cirugia bucal*, 10 Suppl 1, p. E45–56.
- 172 Spiekermann H, Donath K, Jovanovic S, Richter J. (1996), Zukunftsperspektiven, in: *Implantologie Farbatlanten der Zahnmedizin* (10), Rateitschak KH, Spiekermann H, Wolf HF., Editors., Georg Thieme Verlag: Stuttgart, p. 356–367.
- 173 Srouji S, Ben-David D, Lotan R, Riminucci M, Livne E, Bianco P. (2010), The innate osteogenic potential of the maxillary sinus (Schneiderian) membrane: an ectopic tissue transplant model simulating sinus lifting. *International Journal of Oral and Maxillofacial Surgery*; 39(8): 793–801.
- 174 Srouji S, Kizhner T, Ben David D, Riminucci M, Bianco P, Livne E. (2009), The schneiderian membrane contains osteoprogenitor cells: In vivo and in vitro study. *Calcified Tissue International*; 84(2): 138–145.
- 175 Stellingsma C, Vissink A, Meijer HJ, Kuiper C, Raghoobar GM. (2004), Implantology and the severely resorbed edentulous mandible. *Crit Rev Oral Biol Med*, 15(4): p. 240–8.
- 176 Sterne JA, Davey Smith G. (2001), Sifting the evidence-what's wrong with significance tests? *BMJ (Clinical research ed.)*, 322 [7280], p. 226–31.
- 177 Stricker A, Voss PJ, Gutwald R, Schramm A, Schmelzeisen R. (2003), Maxillary sinus floor augmentation with autogenous bone grafts to enable placement of SLA-surfaced implants: preliminary results after 15–40 months. *Clinical oral implants research*, 14(2), p. 207–12.
- 178 Stürmer KM, Schuchardt W. (1980), Neue Aspekte der gedeckten Marknagelung und des Aufbohrens der Markhöhle im Tierexperiment. I. Die Schafstibia als Tiermodell für die Marknagelung. *Unfallheilkunde*, 83 (7), p. 341–345.
- 179 Sul SH, Choi BH, Li J, Jeong S.M, Xuan F. (2008), Effects of sinus membrane elevation on bone formation around implants placed in the maxillary sinus cavity: an experimental study. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*; 105(6): 684–687.
- 180 Summers RB. (1994), A new concept in maxillary implant surgery: the osteotome technique. *Compendium*, 15(2), p. 152, 154–6, 158 passim; quiz 162.
- 181 Summers RB. (1996), Conservative osteotomy technique with simultaneous implant insertion. *Dental implantology update*, 7(7), p. 49–53.

- 182 Summers RB. (1998), Sinus floor elevation with osteotomes. *Journal of esthetic dentistry*, 10(3), p. 164–71.
- 183 Takeda D, Hasegawa T, Saito I, Arimoto S, Akashi M, Komori T. (2019), A radiologic evaluation of the incidence and morphology of maxillary sinus septa in Japanese dentate maxillae, *Oral Maxillofac Surg*. 2019 Jun; 23(2): 233–237. doi: 10.1007/s10006-019-00773-2. Epub 2019 May 14., PMID: 31089896
- 184 Tallarico M et al. (2017), Minimally Invasive Sinus Augmentation Procedure Using a Dedicated Hydraulic Sinus Lift Implant Device: A Prospective Case Series Study on Clinical, Radiologic, and Patient-Centered Outcomes., *Int J Periodontics Restorative Dent*.
- 185 Tarnow DP, Wallace SS, Froum SJ, Rohrer MD, Cho SC. (2000), Histologic and clinical comparison of bilateral sinus floor elevations with and without barrier membrane placement in 12 patients: Part 3 of an ongoing prospective study. *The International journal of periodontics & restorative dentistry*, 20(2), p. 117–25.
- 186 Tatum H Jr. (1986), Maxillary and sinus implant reconstructions. *Dental clinics of North America*, 30(2), p. 207–29.
- 187 Tatum OH, Lecture presented to the Alabama Implant Congress. 1976.
- 188 Tawil G, Mawla M. (2001), Sinus floor elevation using a bovine bone mineral (Bio-Oss) with or without the concomitant use of a bilayered collagen barrier (Bio-Gide): a clinical report of immediate and delayed implant placement. *The International journal of oral & maxillofacial implants*, 16(5), p. 713–21.
- 189 Temmerman A, Van Dessel J, Cortellini S, Jacobs R, Teughels W, Quirynen M. (2017), Volumetric changes of grafted volumes and the Schneiderian membrane after transcrestal and lateral sinus floor elevation procedures: A clinical, pilot study, *J Clin Periodontol*. 2017 Jun; 44(6): 660–671. doi: 10.1111/jcpe.12728. Epub 2017 May 16., PMID: 28382627
- 190 Testori T, Wallace SS, Del Fabbro M, Taschieri S, Trisi P, Capelli M et al. (2008), Repair of large sinus membrane perforations using stabilized collagen barrier membranes: surgical techniques with histologic and radiographic evidence of success. *The International journal of periodontics; restorative dentistry*; 28(1): 9–17. Epub 2008/03/21.
- 191 Tetsch J, Tetsch P, Lysek DA. (2010), Long-term results after lateral and osteotome technique sinus floor elevation: a retrospective analysis of 2190 implants over a time period of 15 years. *Clinical oral implants research*; 21(5): 497–503.
- 192 Thor A, Franke-Stenport V, Johansson CB, Rasmusson L. (2007), Early bone formation in human bone grafts treated with platelet-rich plasma: preliminary histomorphometric results. *International Journal of Oral and Maxillofacial Surgery*; 36(12): 1164–1171.
- 193 Thor A, Sennerby L, Hirsch JM, Rasmusson L. (2007), Bone formation at the maxillary sinus floor following simultaneous elevation of the mucosal lining and implant installation without graft material: an evaluation of 20 patients treated with 44 Astra Tech implants. *Journal of Oral and Maxillofacial Surgery*; 65(7): 64–72.
- 194 Thor A. (2008), TiOblast and OsseoSpeed implants in sinus lift surgery. *Applied Osseointegration Research*; 7: 17–25.
- 195 Thorwarth M, Schultze-Mosgau S, Kessler P, Wilfang J, Schlegel KA. (2005), Bone regeneration in osseous defects using a resorbable nanoparticulate hydroxyapatite. *Journal of oral and maxillofacial surgery*, 63(11), p. 1626–33.
- 196 Toscano NJ, Holtzclaw D, Rosen PS. (2010), The effect of piezoelectric use on open sinus lift perforation: a retrospective evaluation of 56 consecutively treated cases from private practices. *Journal of periodontology*; 81(1): 167–71. Epub 2010/01/12. doi: 10.1902/jop.2009.090190.
- 197 Triplett RG, Nevins M, Marx RE et al. (2009), Pivotal, randomized, parallel evaluation of recombinant human bone morphogenetic protein-2/absorbable collagen sponge and autogenous bone graft for maxillary sinus floor augmentation. *Journal of Oral and Maxillofacial Surgery*; 67(9): 1947–1960.
- 198 Troedhan A, Kurrek A, Wainwright M. (2012), Biological Principles and Physiology of Bone Regeneration under the Schneiderian Membrane after Sinus Lift Surgery: A Radiological Study in 14 Patients Treated with the Transcrestal Hydrodynamic Ultrasonic Cavitation Sinus Lift (Intralift), *Int J Dent*; 2012: 576238. doi: 10.1155/2012/576238. Epub 2012 Jun 17., PMID: 22754571
- 199 Troedhan A, Schlichting I, Kurrek A, Wainwright M. (2014), Primary implant stability in augmented sinuslift-sites after completed bone regeneration: a randomized controlled clinical study comparing four subantrally inserted biomaterials., *Sci Rep*. 2014 Jul 30; 4: 5877. doi: 10.1038/srep05877, PMID: 25073446
- 200 van den Bergh JP, ten Bruggenkate CM, Disch FJ, Tuinzing DB. (2000), Anatomical aspects of sinus floor elevations. *Clinical oral implants research*, 11(3), p. 256–65.
- 201 Vercellotti T, De Paoli S, Nevins M. (2001), The piezoelectric bony window osteotomy and sinus membrane elevation: introduction of a new technique for simplification of the sinus augmentation procedure. *The International journal of periodontics; restorative dentistry*; 21(6): 561–7. Epub 2002/01/17.
- 202 Vina-Almunia J, Penarrocha-Diago M. (2009), Influence of perforation of the sinus membrane on the survival rate of implants placed after direct sinus lift. Literature update. *Medicina oral, patología oral y cirugía bucal*; 14(3): E133–6. Epub 2009/02/27.

- 203 Vlassis JM, Fugazzotto PA. (1999), A classification system for sinus membrane perforations during augmentation procedures with options for repair. *Journal of periodontology*; 70(6): 692–9. Epub 1999/07/09. doi: 10.1902/jop.1999.70.6.692.
- 204 Vollmer R, Valentin R. (2004), Der ballonassistierte indirekte Sinuslift – Teil 1. *Implantologie Journal*, [2], p. 24–28.
- 205 Voss P, Sauerbier S, Wiedmann-Al-Ahmad M et al. (2010), Bone regeneration in sinus lifts: comparing tissue-engineered bone and iliac bone. *British Journal of Oral and Maxillofacial Surgery*; 48(2): 121–126.
- 206 Wallace SS, Froum S.J. (2003), Effect of maxillary sinus augmentation on the survival of endosseous dental implants. A systematic review. *Annals of periodontology*, 8(1), p. 328–43.
- 207 Wallace SS, Mazor Z, Froum SJ, Cho SO, Tarnow DP. (2007), Schneiderian membrane perforation rate during sinus elevation using piezosurgery: clinical results of 100 consecutive cases. *International Journal of Periodontics and Restorative Dentistry*; 27(5): 413–419.
- 208 Wang RF, Zhao D, Lin HY, Liu M, Wang WQ. (2018), Clinical evaluation of two transalveolar methods for sinus augmentation with placing 1 204 implants immediately., *Zhonghua Kou Qiang Yi Xue Za Zhi*. 2018 Dec 9; 53(12): 821–825. doi: 10.3760/cma.j.issn.1002-0098.2018.12.006. Chinese,
- 209 Watzek G, Mailath-Pokorny G. (2000), Zahnärztliche Implantate, in: *Zahnärztliche Chirurgie* (Band 3), Schwenzer N, Ehrenfeld M, Editors., Georg Thieme Verlag: Stuttgart, p. 127–168.
- 210 Watzek G. (1993), Enossale Implantate in der oralen Chirurgie. Quintessenz-Verlag.
- 211 Wehrbein H, Diedrich P. (1992), Progressive pneumatization of the basal maxillary sinus after extraction and space closure. *Fortschritte der Kieferorthopadie*, 53(2), p. 77–83.
- 212 Weingart D, Schilli W, Strub J.R. (1992), Präprothetische Chirurgie und Implantologie. Einfluss der oralen Implantologie auf die präprothetische Chirurgie beim zahnlosen Patienten. *Schweizer Monatsschrift für Zahnmedizin*, 102, p. 1075–1081.
- 213 Winter AA, Pollack AS, Odrich RB. (2002) Placement of implants in the severely atrophic posterior maxilla using localized management of the sinus floor: a preliminary study. *International Journal of Oral and Maxillofacial Implants*; 17(5): 687–695.
- 214 Wissing H, Stürmer KM, Breidenstein G. (1990), Die Wertigkeit verschiedener Versuchsspezies für experimentelle Untersuchungen am Knochen. *Hefte Unfallheilkunde*, p. 212, 479–488.
- 215 Xu H, Shimizu Y, Ooya K. (2005) Histomorphometric study of the stability of newly formed bone after elevation of the floor of the maxillary sinus. *British Journal of Oral and Maxillofacial Surgery*; 43(6): 493–499.
- 216 Yildirim M, Spiekermann H, Biesterfeld S, Edelhoff D. (2000), Maxillary sinus augmentation using xenogenic bone substitute material Bio-Oss in combination with venous blood. A histologic and histomorphometric study in humans. *Clinical oral implants research*, 11(3), p. 217–29.
- 217 Yilmaz HG, Tozum TF. (2011), Are Gingival Phenotype, Residual Ridge Height and Membrane Thickness Critical for the Perforation of Maxillary Sinus? *Journal of periodontology*. Epub 2011/06/02. doi: 10.1902/jop.2011.110110.
- 218 Younes F, Cosyn J, De Bruyckere T, Cleymaet R, Eghbali A. (2019), A 2-year prospective case series on volumetric changes, PROMs, and clinical outcomes following sinus floor elevation using deproteinized bovine bone mineral as filling material., *Clin Implant Dent Relat Res*. 2019 Apr; 21(2): 301–309. doi: 10.1111/cid.12730. Epub 2019 Feb 11.
- 219 Zarb GA, Schmitt A. (1991), Osseointegration and the edentulous predicament. The 10-year-old Toronto study. *British dental journal*, 170(12), p. 439–44.
- 220 Zerbo IR, Bronckers AL, de Lange GL, van Beek GJ, Burger EH. (2001), Histology of human alveolar bone regeneration with a porous tricalcium phosphate. A report of two cases. *Clinical oral implants research*, 12(4), p. 379–84.
- 221 Zerbo IR, Zijderveld SA, de Boer A, Bronckers AL, de Lange G, ten Bruggenkate CM, Burger EH. (2004), Histomorphometry of human sinus floor augmentation using a porous beta-tricalcium phosphate: a prospective study. *Clinical oral implants research*, 15(6), p. 724–32.
- 222 Zhou X, Hu X.L, Li JH, Lin Y. (2017), Minimally Invasive Crestal Sinus Lift Technique and Simultaneous Implant Placement., *Chin J. Dent Res*. 2017; 20(4): 211–218. doi: 10.3290/j.cjdr.a39220.



Champions-Implants GmbH

Champions Platz 1 | D-55237 Flonheim
fon +49 (0)6734 91 40 80 | fax +49 (0)6734 10 53
info@champions-implants.com

Mehr Informationen zu unseren Produkten:
www.champions-implants.com