

Hinweis in eigener Sache

Auf den folgenden Seiten finden Sie rot markierte Verweise auf das Keramikimplantat **ZV3/BioWin!**. Dieses Implantat wird seit 2018 von uns, Champions-Implants GmbH, unter dem Produktnamen **Patent™**/vertrieben. Wir weisen daraufhin, dass dieses Implantat völlig identisch mit dem in den anderen Studien erwähnten Implantat ist – inkl. der Produktion und dem Zubehör.

- 1 Akagawa Y, Hosokawa R, Sato Y, Kamayama K. Comparison between freestanding and tooth-connected partially stabilized zirconia implants after two years' function in monkeys: A clinical and histologic study. *J Prosthet Dent* 1998; 80: 551-558.
- 2 Akagawa Y, Ichikawa Y, Nikai H, Tsuru H. Interface histology of unloaded and early loaded partially stabilized zirconia endosseous implant in initial bone healing. *J Prosthet Dent* 1993; 69: 599-604.
- 3 Andreiotelli M, Wenz HJ, Kohal RJ. Are ceramic implants a viable alternative to titanium implants? A systematic literature review. *Clin Oral Implants Res* 2009; 20 (suppl 4): 32-47.
- 4 Assenza B, Tripodi D, Scarano A, et al. Bacterial leakage in implants with different implant-abutment connections: An in vitro study. *J Periodontol* 2012; 83: 481-497.
- 5 Basegmez C, Yalcin S, Yalcin F, Ersanli, S & Mijiritsky E (2012). Evaluation of periimplant crevicular fluid prostaglandin E2 and matrix metalloproteinase-8 levels from health to periimplant disease status: a prospective study. *Implant Dentistry* 21: 306-310.
- 6 Becker J, John G, Becker K, Mainusch S, Diedrichs G, Schwarz F. Clinical performance of two-piece zirconia implants in the posterior mandible and maxilla: a prospective cohort study over 2 years. *Clin Oral Implants Res* . 2017 Jan; 28(1):29-35
- 7 Bianco PD, Ducheyne P, Cuckler JM. Local accumulation of titanium released from a titanium implant in the absence of wear. *J Biomed Mater Res* 1996; 312: 27-234.
- 8 Bollen CML., Papaioannou W, van Eldere J, Schepers E, Quirynen M & Van Steenberghe D (1996). The influence of abutment surface roughness on plaque accumulation and periimplant mucositis. *Clinical Oral Implants Research* 7: 201-211.
- 9 Borgonovo A, Censi R, Dolci M, Vavassori V, Bianchi A, Maiorana C. Use of endosseous one-piece yttrium-stabilized zirconia dental implants in premolar region: A two-year clinical preliminary report. *Miner va Stomatol* 2011; 60: 229-242.
- 10 Boutaga K, van Winkelhoff AJ, Vandembroucke-Grauls CM, Savelkoul PH. Periodontal pathogens: A quantitative comparison of anaerobic culture and real-time PCR. *FEMS Immunol Med Microbiol* 2005; 45: 19-1199.
- 11 Boutaga K, van Winkelhoff AJ, Vandembroucke-Grauls CM, Savelkoul PH. The additional value of real-time PCR in the quantitative detection of periodontal pathogens. *J Clin Periodontol* 2006; 33: 427-433.
- 12 Brüll F, van Winkelhoff AJ & Cune MS (2014). Zirconia dental implants: A clinical, radiographic, and microbiologic evaluation up to 3 years. *International Journal of Oral and Maxillofacial Implants* 29: 914-920.
- 13 Burger W, Richter HG, Piconi C, Vattoni R, Cittadini A, Boccalari M. New Y-TZP powders for medical grade zirconia. *J Mater Sei Mater Med* 1997; 8: 113-118.
- 14 Cannizzaro G, Leone M, Ferri V, Viola P, Federico, G & Esposito, M (2012). Immediate loading of single implants inserted flapless with medium or high insertion torque: a 6-month follow-up of a split-mouth randomised controlled trial. *European Journal of Oral Implantology* 5: 333-342.

- 15 Cionca N, Muller N & Mombelli A (2014). Two-piece zirconia implants supporting all-ceramic crowns: a prospective clinical study. *Clinical Oral Implants Research*. doi: 10.1111/clr.12370.
- 16 Depprich R, Naujoks C, Ommerborn M, Schwarz F, Kubler NR & Handschel J (2014). Current findings regarding zirconia implants. *Clinical Implant Dentistry and Related Research* 16: 124-137.
- 17 Depprich R, Ommerborn M, Zipprich H, et al. Behavior of osteoblastic cells cultured on titanium and structured zirconia surfaces. *Head Face Med* 2008; 4: 29.
- 18 Depprich R, Zipprich H, Ommerborn M, et al. Osseointegration of zirconia implants compared with titanium: An in vivo study. *Head Face Med* 2008; 4:30.
- 19 Depprich R, Zipprich H, Ommerborn M, et al. Osseointegration of zirconia implants: An SEM observation of the bone-implant interface. *Head Face Med* 2008; 4: 25.
- 20 Gahlert M, Burtscher D, Grunert I, Kniha H, Steinhauser E. Failure analysis of fractured dental zirconia implants. *Clin Oral Implants Res* 2012; 23: 287-293.
- 21 Gahlert M, Gudehus T, Eichhorn S, Steinhauser E, Kniha H, Erhardt W. Bio mechanical and histomorphometric comparison between zirconia implants with varying surface textures and a titanium implant in the maxilla of miniature pigs. *Clin Oral Implants Res* 2007; 18: 662-668.
- 22 Gahlert M, Roehling S, Sprecher CM, Kniha H, Milz S & Bormann K (2012). In vivo performance of zirconia and titanium implants: a histomorphometric study in minipig maxillae. *Clinical Oral Implants Research* 23: 281-286.
- 23 Gahlert M, Rohling S, Wieland M, Eichhorn S, Kuchenhoff H & Kniha H (2010). A comparison study of the osseointegration of zirconia and titanium dental implants. A biomechanical evaluation in the maxilla of pigs. *Clinical Implant Dentistry and Related Research* 12: 297-305.
- 24 Harder S, Dimaczek B, Acil Y, Terheyden H, Freitag-Wolf S, Kern M. Molecular leakage at implant-abutment connection – In vitro investigation of tightness of internal conical implant-abutment connections against endotoxin penetration. *Clin Oral Investig* 2010; 14: 427-432.
- 25 Heitz-Mayfield LJA, Needleman I, Salvi GE & Pjetursson BE (2014). Consensus statements and clinical recommendations for prevention and management of biologic and technical implant complications. *International Journal of Oral and Maxillofacial Implants* 29 (Suppl.): 346-356.
- 26 Hempel U, Hefti T, Kalbacova M, Wolf-Brandstetter C, Dieter P & Schlottig F (2010). Response of osteoblast-like SAOS-2 cells to zirconia ceramics with different surface topographies. *Clinical Oral Implants Research* 21: 174-181.
- 27 Javed F, Al-Hezaimi K, Almas K, Romanos GE. Is titanium sensitivity associated with allergic reactions in patients with dental implants? A systematic review. *Clin Implant Dent Relat Res* 2013 Feb; 15 (1): 47-52.
- 28 Koch FP, Weng D, Kramer S, Biesterfeld S, Jahn-Eimermacher A, Wagner W. Osseointegration of one-piece zirconia implants compared with a titanium implant of identical design: A histomorphometric study in the dog. *Clin Oral Implants Res* 2010; 21: 350-356.
- 29 Koha I RJ, Weng D, Bachle M, Strub JR. Loaded custom-made zirconia and titanium implants show similar osseointegration: An animal experiment. *J Periodontol* 2004; 75: 1262-1268.
- 30 Kohal RJ, Klaus G. A zirconia implant-crown system: A case report. *Int J Periodontics Restorative Dent* 2004; 24: 147-153.
- 31 Kohal RJ, Knauf M, Larsson B, Sahlin H, Butz F. One-piece zirconia oral implants: One-year results from a prospective cohort study. 1. Single tooth replacement. *J Clin Periodontol* 2012; 39: 590-597.
- 32 Kohal RJ, Knauf M, Larsson B, Sahlin H & Butz F (2012). One-piece zirconia oral implants: one-year results from a prospective cohort study. 1. Single tooth replacement. *Journal of Clinical Periodontology* 39: 590-597.
- 33 Korpi JT, Astrom P, Lehtonen N, Tjaderhane L, Kallio-Pulkkinen S, Siponen M, Sorsa T, Pirila E & Salo T (2009). Healing of extraction sockets in collagenase-2 (matrix metalloproteinase-8)-deficient mice. *European Journal of Oral Science* 117: 248-254.
- 34 Kuboniwa M, Amano A, Kimura KR, et al. Quantitative detection of periodontal pathogens using real-time polymerase chain reaction with TaqMan probes. *Oral Microbiol Immunol* 2004; 19: 168-176.
- 35 Lang NP, Berglundh T & Working Group 4 of Seventh European Workshop on P (2011). Periimplant diseases: where are we now? – Consensus of the Seventh European Workshop on Periodontology. *Journal of Clinical Periodontology* 38 (Suppl. 11): 178-181.
- 36 Lang NP, Berglundh T, Heitz-Mayfield LJ, Pjetursson BE, Salvi GE, Sanz M. Consensus statements and recommended clinical procedures regarding implant survival and complications. *Int J Oral Maxillofac Implants* 2004; 19 (suppl): 150-154.
- 37 Lindhe J, Meyle J. Periimplant diseases: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol* 2008; 35: 282-285.
- 38 Löe H (1967). The Gingival Index, the Plaque Index and the Retention Index Systems. *Journal of Periodontology* 38 (Suppl.): 610-616.

- 39 Manicone PF, Rossi IP, Raffaelli L, et al. Biological considerations on the use of zirconia for dental devices. *Int J Immunopathol Pharmacol* 2007; 20: 9-12.
- 40 Manicone PF, Rossi IP, Raffaelli L. An overview of zirconia ceramics: Basic properties and clinical applications. *J Dent* 2007; 35: 819-826.
- 41 Manzano G, Herrero LR & Montero J (2014). Comparison of clinical performance of zirconia implants and titanium implants in animal models: a systematic review. *International Journal of Oral and Maxillofacial Implants* 29: 311–320.
- 42 Muller K, Valentine-Thon E. Hypersensitivity to titanium: Clinical and laboratory evidence. *Neuro Endocrinol Lett* 2006; 27 (suppl 1): 31-35.
- 43 Nevins M, Camelo M, Nevins ML, Schubach P & Kim DM (2011). Pilot clinical and histologic evaluations of a two-piece zirconia implant. *International Journal of Periodontics and Restorative Dentistry* 31: 157–163.
- 44 Nevins M, Camelo M, Nevins ML, Schubach P, Kirn DM. Pilot clinical and histologic evaluations of a two-piece zirconia implant. *Int J Periodontics Restorative Dent* 2011; 31: 157-163.
- 45 Oliva J, Oliva X & Oliva JD (2010). Five-year success rate of 831 consecutively placed Zirconia dental implants in humans: a comparison of three different rough surfaces. *International Journal of Oral and Maxillofacial Implants* 25: 336– 344.
- 46 Oliva J, Oliva X, Oliva JD. Five-year success rate of 831 consecutively placed zirconia dental implants in humans: A comparison of three different rough surfaces. *Int J Oral Maxillofac Implants* 2010; 25: 336-344.
- 47 Oliva J, Oliva X, Oliva JD. One-year follow-up of first consecutive 100 zirconia dental implants in humans: A comparison of 2 different rough surfaces. *Int J Oral Maxillofac Implants* 2007; 22: 430-435.
- 48 Oliva J, Oliva X, Oliva JD. Ovoid zirconia implants: Anatomie design for premolar replacement. *Int J Periodontics Restorative Dent* 2008; 28: 609-615.
- 49 Oliva J, Oliva X, Oliva JD. Zirconia implants and all-ceramic restorations for the esthetic replacement of the maxillary central incisors. *Eur J Esthet Dent* 2008; 3: 174-185.
- 50 Oliva X, Oliva J, Oliva JD. Full-mouth oral rehabilitation in a titanium allergy patient using zirconium oxide dental implants and zirconium oxide restorations. A case report from an ongoing clinical study. *Eur J Esthet Dent* 2010; 5: 190-203.
- 51 Payer M, Heschl A, Koller M, Arnetzl G, Lorenzoni M & Jakse N (2015). All-ceramic restoration of zirconia two-piece implants – a randomized controlled clinical trial. *Clinical Oral Implants Reserach* 26: 371–376.
- 52 Pjetursson BE, Bragger U, Lang NP, Zwahlen M. Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clin Oral Implants Res* 2007; 18 (suppl 3): 97-113.
- 53 Pommer B, Bucur L, Zauza K, Tepper G, Hof M, Watzek G. Meta-Analysis of Oral Implant Fracture Incidence and Related Determinants. *Journal of Oral Implants*, Volume 2014,
- 54 Rimondini L, Cerroni L, Carrassi A & Torricelli P (2002). Bacterial colonization of zirconia ceramic surfaces: an in vitro and in vivo study. *International Journal of Oral and Maxillofacial Implants* 17: 793–798.
- 55 Rocchietta I, Fontana F, Addis A, Schubach P, Simion M. Surface-modified zirconia implants: Tissue response in rabbits. *Clin Oral Implants Res* 2009; 20: 844-850.
- 56 Sanz M, Chapple IL & Working Group 4 of the V. E. W. o. P. (2012). Clinical research on periimplant diseases: consensus report of Working Group 4. *Journal of Clinical Periodontology* 39 (Suppl. 12): 202–206.
- 57 Scarano A, Di CF, Quaranta M, Piattelli A. Bone response to zirconia ceramic implants: An experimental study in rabbits. *J Oral Implantol* 2003; 29: 8-12.
- 58 Schwarz F, Golubovic V, Mihatovic I, Becker J. Periodontally diseased tooth roots used for lateral alveolar ridge augmentation. A proof-of-concept study. *J Clin Periodontol* 2016; 43: 797–803. doi:10.1111/jcpe.12579.
- 59 Schwarz F, Mihatovic I, Golubovic V, Eick S, Iglhaut T & Becker J (2014). Experimental periimplant mucositis at different implant surfaces. *Journal of Clinical Periodontology* 41: 513–520.
- 60 Sennerby L, Dasmah A, Larsson B & Iverhed M (2005). Bone tissue responses to surface-modified zirconia implants: a histomorphometric and removal torque study in the rabbit. *Clinical Implant Dentistry and Related Research* 7 (Suppl. 1): S13–S20.
- 61 Sennerby L, Dasmah A, Larsson B, Iverhed M. Bone tissue responses to surface-modified zirconia implants: A histomorphometric and removal torque study in the rabbit. *Clin Implant Dent Relat Res* 2005; 7 (suppl 1): 513-520.
- 62 Sicilia A, Cuesta S, Coma G, et al. Titanium allergy in dental implant patients: A clinical study on 1500 consecutive patients. *Clin Oral Implants Res* 2008; 19: 823-835.
- 63 Siddiqi A, Payne AG, De Silva RK, Duncan WJ. Titanium allergy: Could it affect dental implant integration? *Clin Oral Implants Res* 2011 Jul; 22 (7): 673-680.

- 64 Simmons CA, Valiquette N, Pilliar RM. Osseointegration of sintered porous-surfaced and plasmaspray-coated implants: An animal model study of early post implantation healing response and mechanical stability. *J Biomed Mater Res* 1999; 47: 127-138.
- 65 Stadlinger B, Hennig M, Eckelt U, Kuhlisch E, Mai R. Comparison of zirconia and titanium implants after a short healing period. A pilot study in minipigs. *Int J Oral Maxillofac Surg* 2010; 39: 585-592.
- 66 Taira M, Kagiya T, Harada H, et al. Microscopic observations and inflammatory cytokine productions of human macrophage phagocytosing submicron titanium particles. *J Mater Sci Mater Med* 2010; 21: 267-275.
- 67 Taira M, Nezu T, Sasaki M, et al. Gene expression analyses of human macrophage phagocytizing sub-microtitanium particles by allergy DNA chip (Genopal). *Biomed Mater Eng* 2009; 19: 63-70.
- 68 Tschernitschek H, Borchers L, Geurtsen W. Nonalloyed titanium as a bioinert metal – A review. *Quintessence Int* 2005; 36: 523-530.
- 69 van Brakel R, Cune MS, van Winkelhaff AJ, de Putter C, Verhoeven JW, van der Reijden WA. Early bacterial colonization and soft tissue health around zirconia and titanium abutments: An in vivo study in man. *Clin Oral Implants Res* 2011; 22: 571-577.
- 70 van Brakel R, Noordmans HJ, Frenken J, de Roode R, de Wit GC, Cune MS. The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. *Clin Oral Implants Res* 2011; 22: 1172-1178.
- 71 van Brakel R, Noordmans HJ, Frenken J, de Roode R, de Wit GC, Cune MS. The effect of zirconia and titanium implant abutments on light reflection of the supporting soft tissues. *Clin Oral Implants Res* 2011; 22: 1172-1178.
- 72 Verhoeven JW, Cune MS, de Putter C. Reliability of some clinical parameters of evaluation in implant dentistry. *J Oral Rehabil* 2000; 27: 211-216.
- 73 Wenz HJ, Bartsch J, Wolfart S, Kern M. Osseointegration and clinical success of zirconia dental implants: A systematic review. *Int J Prosthodont* 2008; 21: 27-36.

CHAMPIONS

Mehr Informationen zu unseren Produkten:

www.champions-implants.com



CHAMPIONS-IMPLANTS GmbH

Im Baumfeld 30 | Champions Platz 1 | D-55237 Flonheim
 fon +49 (0)6734 91 40 80 | fax +49 (0)6734 10 53
info@champions-implants.com